

**PERIODIC COMPLIANCE REPORT  
PORCELAIN ENAMELING CATEGORY**

REPORTING PERIOD: \_\_\_\_\_, 20\_\_ THROUGH \_\_\_\_\_, 20\_\_

COMPANY NAME: \_\_\_\_\_

COMPANY ADDRESS: \_\_\_\_\_

PERMIT NUMBER: \_\_\_\_\_ S.I.C. NUMBER: \_\_\_\_\_

TYPE OF INDUSTRY: \_\_\_\_\_

DOCUMENTATION MUST BE SUBMITTED TO SUPPORT THE FIGURES PRESENTED IN THIS REPORT FOR WATER USAGE VOLUMES AND POLLUTANT CONCENTRATIONS.

**I. WATER CONSUMPTION**

a. Water Account Number	Average Daily Use
_____	_____ gallons
_____	_____ gallons
_____	_____ gallons
_____	_____ gallons
<b>Total Water Consumed</b>	_____ gallons

**II. WATER USAGE**

Wastewater discharged to the sanitary sewer:

	<u>Daily Average</u>	<u>Daily Maximum</u>
a. Process Wastewater (include cleanup & wash down water)	+ _____ gals.	_____ gals.
b. Domestic Usage	+ _____ gals.	_____ gals.
c. Boiler Blowdown	+ _____ gals.	_____ gals.
d. Noncontact Cooling Water	+ _____ gals.	_____ gals.
e. Other Wastewater Generated (include wastewater received at this facility from outside sources)		
_____	+ _____ gals.	_____ gals.
_____	+ _____ gals.	_____ gals.
<b>Total Wastewater Discharged</b>	<b>= _____ gals.</b>	<b>_____ gals.</b>
Other water usages:		
Water into product	+ _____ gals.	_____ gals.
Evaporation loss	+ _____ gals.	_____ gals.
Discharges to other than sanitary sewer	+ _____ gals.	_____ gals.
<b>Total Water Used</b>	<b>= _____ gals.</b>	<b>_____ gals.</b>

If the Total Water Used in Part II is greater or less than the Total Water Consumed in Part I please provide an explanation.

PORCELAIN ENAMELING CATEGORY

III. POLLUTANT REPORT

SAMPLE SITE NAME \_\_\_\_\_

**PLEASE ANALYZE AND REPORT FOR EACH SAMPLE SITE ONLY THE PARAMETERS ON THE FACILITY WASTEWATER DISCHARGE PERMIT.**

<b>Parameter</b>	<b>Average Concentration in mg/L</b>	<b>Maximum Concentration in mg/L</b>
PH	pH Units	pH Units
Total Suspended Solids (TSS)	mg/L	mg/L
Biochemical Oxygen Demand (BOD)	mg/L	mg/L
Cyanide	mg/L	mg/L
Arsenic	mg/L	mg/L
Cadmium	mg/L	mg/L
Chromium	mg/L	mg/L
Copper	mg/L	mg/L
Lead	mg/L	mg/L
Mercury	mg/L	mg/L
Nickel	mg/L	mg/L
Selenium	mg/L	mg/L
Silver	mg/L	mg/L
Zinc	mg/L	mg/L
Total Petroleum Hydrocarbon	mg/L	mg/L
Phenol	mg/L	mg/L
Oil and Grease (Floatable)	mg/L	mg/L
Sulfide	mg/L	mg/L
Temperature	mg/L	mg/L
Polychlorinated Biphenyls (PCB's)	mg/L	mg/L
Flash Cup	mg/L	mg/L
Acetone	mg/L	mg/L
Isopropyl Alcohol	mg/L	mg/L
Methyl Alcohol	mg/L	mg/L
Methyl Ethyl Ketone	mg/L	mg/L
Benzene	mg/L	mg/L
Ethylbenzene	mg/L	mg/L
Methylene Chloride	mg/L	mg/L
Toluene	mg/L	mg/L
Xylene	mg/L	mg/L

(IF THIS FACILITY UTILIZES MORE THAN ONE (1) SAMPLE SITE PLEASE ATTACH ADDITIONAL PAGES, ONE PAGE FOR EACH SAMPLING LOCATION MUST BE SUBMITTED)

IV. SAMPLE SITE IDENTIFICATION: \_\_\_ End of Pipe \_\_\_ End of Process

If end of pipe, give total amount of dilution water contributed. \_\_\_\_\_GPD

V. WASTESTREAM(S) DISCHARGED INTO THE SANITARY SEWER.

Regulated Process Wastewater:	<u>Daily Flow</u>	
	Average	Maximum
Aluminum Basis Material Coating	_____GPD	_____GPD
Cast Iron Basis Material Coating	_____GPD	_____GPD
Copper Basis Material Coating	_____GPD	_____GPD
Steel Basis Material Coating	_____GPD	_____GPD

VI. DOCUMENT CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designated to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

\_\_\_\_\_  
Name of Authorized Representative

\_\_\_\_\_  
Title

\_\_\_\_\_  
Signature of Authorized Representative

\_\_\_\_\_  
Date