

Memorandum



DATE: June 10, 2016

TO: Honorable Members of the Public Safety Committee:
Adam Medrano (Chair), B. Adam McGough (Vice Chair), Sandy Greyson, Tiffinni A. Young,
Jennifer S. Gates, Philip T. Kingston

SUBJECT: **Administrative (Fire) Reports**

On Monday, June 13, 2016, you will be briefed on the Administrative (Fire) Reports.

This is an informational memo to provide the Public Safety Committee with a brief description of fire reports for April 9, 2016 – May 13, 2016.

During this period, the following significant fires occurred:

<u>Multiple Alarm Level</u>	<u>Totals</u>
3-Alarm	1
2-Alarm	6

There was 6 (six) injuries and 5 (five) fatalities that occurred as a result of fire incidents.

Eric D. Campbell
Assistant City Manager

[Attachment]

cc: Honorable Mayor and Members of the City Council
A.C. Gonzalez, City Manager
Christopher D. Bowers, (I) City Attorney
Craig D. Kinton, City Auditor
Rosa A. Rios, City Secretary
Daniel F. Solis, Administrative Judge
Ryan S. Evans, First Assistant City Manager

Jill A. Jordan, P.E., Assistant City Manager
Mark McDaniel, Assistant City Manager
Joey Zapata, Assistant City Manager
Jeanne Chipperfield, Chief Financial Officer
Sana Syed, Public Information Officer
Elsa Cantu, Assistant to the City Manager – Mayor & Council

Public Safety Committee

Administrative Fire Reports

Summary

June 2016

DATE	ADDRESS	COUNCIL DISTRICT	TYPE	CAUSE	LOSS	ALARM
A. 04/09/16	735 North Westmoreland Drive #C208	District 3 (Thomas)	1-Story Stucco Commercial	Accidental	\$3,000.00	2 Alarms
B. 04/17/16	7132 Briar Meadow Drive	District 11 (Kleinman)	2-Story Veneer Dwelling	Act of Nature	\$75,000.00	2 Alarms
C. 04/21/16	8900 Park Lane #238	District 13 (Gates)	2-Story Frame Apartments	Accidental	\$40,000.00	2 Alarms
D. 04/22/16	1712 Commerce Street	District 14 (Kingston)	22-Story Concrete Commercial	Accidental	\$6,000.00	2 Alarms
E. 04/25/16	3150 Cliff Creek Crossing Drive #1005	District 8 (Wilson)	2-Story Brick Apartments	Accidental	\$8,500.00	1 Alarm
F. 04/26/16	731 Havenwood Drive	District 8 (Wilson)	1-Story Frame Dwelling	Undetermined	\$30,000.00	1 Alarm
G. 04/27/16	3100 Kirnwood Drive	District 8 (Wilson)	Motor Vehicle	Undetermined	\$0.00	1 Alarm
H. 04/29/16	18211 Kelly Boulevard #118	District 12 (Greyson)	3-Story Veneer Apartments	Accidental	\$180,000.00	3 Alarms
I. 04/29/16	12484 Abrams Road #2003	District 10 (McGough)	2-Story Frame Dwelling	Accidental	\$0.00	1 Alarm
J. 05/06/16	14016 Peyton Drive #207	District 11 (Kleinman)	2-Story Frame Apartments	Undetermined	\$17,500.00	1 Alarm
K. 05/09/16	7460 Chesterfield Drive, Apartment A	District 8 (Wilson)	3-Story Frame Apartments	Incendiary	\$200.00	1 Alarm
L. 05/11/16	232 South Jim Miller Road #1043	District 8 (Wilson)	2-Story Frame Apartments	Undetermined	\$70,000.00	1 Alarm
M. 05/13/16	7435 Kenshire Lane	District 11 (Kleinman)	1 1/2-Story Frame Dwelling	Undetermined	\$70,000.00	2 Alarms
N. 05/13/16	3150 Cliff Creek Crossing Drive, Building 9/903	District 8 (Wilson)	2-Story Frame Apartments	Incendiary	\$120,000.00	2 Alarms

Two Alarm Fire (A)

Date of Fire:	April 9, 2016	Time of Fire	5:40 AM												
Response Time	2 Minutes 31 Seconds														
Location	735 North Westmoreland Road #C208	Service Area	Southwest												
Bldg. Type	1-Story Stucco Commercial	Council District	3 (Thomas)												
Business Name	Bargain City Bazaar														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$16,590.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$3,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$36,590.00</td> <td style="text-align: right; border-top: 1px solid black;">\$3,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$16,590.00	\$0.00	Content:	\$20,000.00	\$3,000.00	TOTAL	\$36,590.00	\$3,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$16,590.00	\$0.00													
Content:	\$20,000.00	\$3,000.00													
TOTAL	\$36,590.00	\$3,000.00													
Narrative	<p>This is an accidental fire that originated adjacent to a compressor located near the rear of the building. Upon the firefighter's arrival, they found fire coming from the attic and heavy smoke coming from the inside. The fire ignited due to an unspecified mechanical malfunction that was contained to the area of origin. The fire resulted in moderate damage to the contents and no damage to the structure. Engine 26 was the first arriving company.</p>														

Two Alarm Fire (B)

Date of Fire:	April 17, 2016	Time of Fire	8:53 AM												
Response Time	4 Minutes 00 Seconds														
Location	7132 Briar Meadow Drive	Service Area	North Central												
Bldg. Type	2-Story Veneer Dwelling	Council District	11 (Kleinman)												
Business Name	Residence														
Fire Alarm System	Yes	Operational	Yes												
Cause	Act of Nature														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$142,330.00</td> <td style="text-align: right;">\$75,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$65,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$207,330.00</td> <td style="text-align: right; border-top: 1px solid black;">\$75,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$142,330.00	\$75,000.00	Content:	\$65,000.00	\$0.00	TOTAL	\$207,330.00	\$75,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$142,330.00	\$75,000.00													
Content:	\$65,000.00	\$0.00													
TOTAL	\$207,330.00	\$75,000.00													
Narrative	<p>This structure fire occurred from natural causes when lightning struck the chimney of this dwelling. The fire originated inside the attic and vented through the roof in the center of the home causing minor damage to the structure. Engine 31 was the first arriving company.</p>														

Two Alarm Fire (C)

Date of Fire:	April 21, 2016	Time of Fire	2:41 PM												
Response Time	3 Minutes 48 Seconds														
Location	8900 Park Lane #238	Service Area	Northeast												
Bldg. Type	2-Story Frame Apartments	Council District	13 (Gates)												
Business Name	Ivanho Apartments														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 40%; text-align: center;"><u>Value</u></th> <th style="width: 45%; text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$4,985,000.00</td> <td style="text-align: right;">\$30,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$10,000.00</td> <td style="text-align: right;">\$10,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$4,995,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$40,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$4,985,000.00	\$30,000.00	Content:	\$10,000.00	\$10,000.00	TOTAL	\$4,995,000.00	\$40,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$4,985,000.00	\$30,000.00													
Content:	\$10,000.00	\$10,000.00													
TOTAL	\$4,995,000.00	\$40,000.00													
Narrative	<p>This is an accidental fire that resulted from unattended cooking. The fire spread from the kitchen to the living room, before traveling up into the attic causing a moderate amount of damage to the structure. Engine 55 was the first arriving company.</p>														

Two Alarm Fire (D)

Date of Fire:	April 22, 2016	Time of Fire	10:23 AM												
Response Time	3 Minutes 44 Seconds														
Location	1712 Commerce Street	Service Area	Central												
Bldg. Type	22-Story Concrete Commercial	Council District	14 (Kingston)												
Business Name	Mercantile Commerce Building														
Fire Alarm System	No	Operational	N/A												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: right; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$651,000.00</td> <td style="text-align: right;">\$6,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$30,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$681,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$6,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$651,000.00	\$6,000.00	Content:	\$30,000.00	\$0.00	TOTAL	\$681,000.00	\$6,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$651,000.00	\$6,000.00													
Content:	\$30,000.00	\$0.00													
TOTAL	\$681,000.00	\$6,000.00													
Narrative	<p>This is an accidental fire that originated in the elevator shaft of this structure, which was currently under renovations. Workers, performing hot-works operations while repairing a sprinkler riser, ignited combustibles in the elevator shaft. The fire caused minor fire damage which was limited to the elevator shaft. Engine 8 was the first arriving company.</p>														

One Alarm Fire (E)

Date of Fire:	April 25, 2016	Time of Fire	5:46 PM												
Response Time	4 Minutes 10 Seconds														
Location	3150 Cliff Creek Crossing Drive #1005	Service Area	South Central												
Bldg. Type	2-Story Brick Apartments	Council District	8 (Wilson)												
Business Name	Mandalay Palms Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$200,000.00</td> <td style="text-align: right;">\$8,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$6,000.00</td> <td style="text-align: right;">\$500.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$206,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$8,500.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$200,000.00	\$8,000.00	Content:	\$6,000.00	\$500.00	TOTAL	\$206,000.00	\$8,500.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$200,000.00	\$8,000.00													
Content:	\$6,000.00	\$500.00													
TOTAL	\$206,000.00	\$8,500.00													
Narrative	<p>This is an accidental fire that resulted from careless use of a heat source. The fire, which originated on the bed, ignited clothing and the bedding, before spreading throughout the bedroom and its contents causing severe fire damage. Engine 40 was the first arriving company.</p>														

One Alarm Fire (F)

Date of Fire:	April 26, 2016	Time of Fire	2:16 AM
Response Time	2 Minutes 39 Seconds		
Location	731 Havenwood Drive	Service Area	South Central
Bldg. Type	1-Story Frame Dwelling	Council District	8 (Wilson)
Business Name	N/A		
Fire Alarm System	Yes	Operational	Unknown
Cause	Undetermined		
Value/ Damage Estimate	<u>Value</u>		<u>Damage</u>
	Building:	\$30,850.00	\$20,000.00
	Content:	\$25,000.00	\$10,000.00
	TOTAL	\$55,850.00	\$30,000.00
Narrative	<p>This is an undetermined fire that originated in the living room. The fire spread throughout the living room and attic space causing severe smoke and fire damage to the structure and contents. Engine 46 was the first arriving company.</p>		

One Alarm Fire (G)

Date of Fire:	April 27, 2016	Time of Fire	7:27 PM												
Response Time	2 Minutes 4 Seconds														
Location	3100 Kimwood Drive	Service Area	South Central												
Bldg. Type	Motor Vehicle	Council District	8 (Wilson)												
Business Name	N/A														
Fire Alarm System	No	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: center;">\$0.00</td> <td style="text-align: center;">\$0.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: center;">\$0.00</td> <td style="text-align: center;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: center; border-top: 1px solid black;">\$0.00</td> <td style="text-align: center; border-top: 1px solid black;">\$0.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$0.00	\$0.00	Content:	\$0.00	\$0.00	TOTAL	\$0.00	\$0.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$0.00	\$0.00													
Content:	\$0.00	\$0.00													
TOTAL	\$0.00	\$0.00													
Narrative	<p>This is an undetermined fire that is still under investigation. The fire originated in the interior passenger area next to the front dashboard. Engine 40 was the first arriving company.</p>														

Three Alarm Fire (H)

Date of Fire:	April 29, 2016	Time of Fire	1:47 PM												
Response Time	4 Minutes 8 Seconds														
Location	18211 Kelly Boulevard #118	Service Area	North Central												
Bldg. Type	3-Story Brick Veneer Apartments	Council District	12 (Greyson)												
Business Name	Carrollton Park Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$300,000.00</td> <td style="text-align: right;">\$150,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$30,000.00</td> <td style="text-align: right;">\$30,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$330,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$180,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$300,000.00	\$150,000.00	Content:	\$30,000.00	\$30,000.00	TOTAL	\$330,000.00	\$180,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$300,000.00	\$150,000.00													
Content:	\$30,000.00	\$30,000.00													
TOTAL	\$330,000.00	\$180,000.00													
Narrative	<p>This is an accidental fire that resulted from careless hot-work operations performed by a contractor, while sweating pipes behind the refrigerator in the kitchen of unit #118. A fire started within the wall before spreading to units #128 and #137. The fire then traveled vertically into the attic and vented through the roof. Engine 10 was the first arriving company.</p>														

One Alarm Fire (I)

Date of Fire:	April 29, 2016	Time of Fire	1:59 PM												
Response Time	4 Minutes 59 Seconds														
Location	12484 Abrams Road #2003	Service Area	Northeast												
Bldg. Type	2-Story Frame Dwelling	Council District	10 (McGough)												
Business Name	N/A														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Accidental														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$37,630.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$2,000.00</td> <td style="text-align: right;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$39,630.00</td> <td style="text-align: right; border-top: 1px solid black;">\$0.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$37,630.00	\$0.00	Content:	\$2,000.00	\$0.00	TOTAL	\$39,630.00	\$0.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$37,630.00	\$0.00													
Content:	\$2,000.00	\$0.00													
TOTAL	\$39,630.00	\$0.00													
Narrative	This is an accidental fire that originated in the kitchen. The fire did not cause any damage to the structure. Engine 28 was the first arriving company.														

One Alarm Fire (J)

Date of Fire:	April 6, 2016	Time of Fire	1:37 PM												
Response Time	3 Minutes 27 Seconds														
Location	14016 Peyton Drive #207	Service Area	North Central												
Bldg. Type	2-Story Frame Apartments	Council District	11 (Kleinman)												
Business Name	Northwood Hills														
Fire Alarm System	Yes	Operational	Unknown												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$961,590.00</td> <td style="text-align: right;">\$15,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$10,000.00</td> <td style="text-align: right;">\$2,500.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$971,590.00</td> <td style="text-align: right; border-top: 1px solid black;">\$17,500.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$961,590.00	\$15,000.00	Content:	\$10,000.00	\$2,500.00	TOTAL	\$971,590.00	\$17,500.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$961,590.00	\$15,000.00													
Content:	\$10,000.00	\$2,500.00													
TOTAL	\$971,590.00	\$17,500.00													
Narrative	<p>This is an undetermined fire that resulted from multiple origins. The first occurred in the front bedroom of unit #207 before spreading from the bed and traveling throughout the bedroom. The second fire was found in the kitchen in front of the refrigerator. Investigators had no evidence to believe that either fire was related to each other. Both fires caused a moderate amount of damage to the structure. Engine 22 was the first arriving company.</p>														

One Alarm Fire (K)

Date of Fire:	May 9, 2016	Time of Fire	9:59 AM												
Response Time	3 Minutes 06 Seconds														
Location	7460 Chesterfield Drive, Apartment A	Service Area	South Central												
Bldg. Type	3-Story Frame Apartments	Council District	8 (Wilson)												
Business Name	Creekside Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Incendiary														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: center;">\$200.00</td> <td style="text-align: center;">\$200.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: center;">\$0.00</td> <td style="text-align: center;">\$0.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: center; border-top: 1px solid black;">\$200.00</td> <td style="text-align: center; border-top: 1px solid black;">\$200.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$200.00	\$200.00	Content:	\$0.00	\$0.00	TOTAL	\$200.00	\$200.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$200.00	\$200.00													
Content:	\$0.00	\$0.00													
TOTAL	\$200.00	\$200.00													
Narrative	<p>This is an incendiary fire that originated on the kitchen floor from a trash pile. The fire spread to the sheet rock adjacent to the trash pile and traveled up the wall before being extinguished. The kitchen sustained minor structure damage as a result of the fire. Engine Truck 40 was the first arriving company.</p>														

One Alarm Fire (L)

Date of Fire:	May 11, 2016	Time of Fire	4:36 AM												
Response Time	4 Minutes 25 Seconds														
Location	232 South Jim Miller Road #1043	Service Area	Southeast												
Bldg. Type	2-Story Frame Apartments	Council District	8 (Wilson)												
Business Name	Woodland City Apartments														
Fire Alarm System	Unknown	Operational	N/A												
Cause	Undetermined														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Value</u></th> <th style="text-align: center; border-bottom: 1px solid black;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$5,000,000.00</td> <td style="text-align: right;">\$50,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$30,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$5,030,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$70,000.00</td> </tr> </tbody> </table>			<u>Value</u>	<u>Damage</u>	Building:	\$5,000,000.00	\$50,000.00	Content:	\$30,000.00	\$20,000.00	TOTAL	\$5,030,000.00	\$70,000.00	
	<u>Value</u>	<u>Damage</u>													
Building:	\$5,000,000.00	\$50,000.00													
Content:	\$30,000.00	\$20,000.00													
TOTAL	\$5,030,000.00	\$70,000.00													
Narrative	<p>This is an undetermined fire that is pending further investigation. The fire spread throughout the living room area before traveling vertically into the second floor attic space causing moderate structure damage. Engine 34 was the first arriving company.</p>														

Two Alarm Fire (M)

Date of Fire:	May 13, 2016	Time of Fire	7:52 AM
Response Time	3 Minutes 28 Seconds		
Location	7435 Kenshire Lane	Service Area	North Central
Bldg. Type	1 1/2-Story Frame Dwelling	Council District	11 (Kleinman)
Business Name	N/A		
Fire Alarm System	Yes	Operational	Yes
Cause	Undetermined		
Value/ Damage Estimate	<u>Value</u>		<u>Damage</u>
	Building:	\$800,000.00	\$60,000.00
	Content:	\$100,000.00	\$10,000.00
	TOTAL	\$900,000.00	\$70,000.00
Narrative	<p>This is an undetermined fire that originated in the garage. The fire spread throughout the walls of the garage and second floor closet, before traveling up into the attic space and the adjacent media room. The fire caused major damage to the structure. Engine 22 was the first arriving company.</p>		

Two Alarm Fire (N)

Date of Fire:	May 13, 2016	Time of Fire	8:04 AM												
Response Time	6 Minutes 48 Seconds														
Location	3150 Cliff Creek Crossing Drive, Building 9/903	Service Area	Southwest												
Bldg. Type	2-Story Frame Apartments	Council District	8 (Wilson)												
Business Name	Cliff Creek Crossing Apartments														
Fire Alarm System	Yes	Operational	Yes												
Cause	Incendiary														
Value/ Damage Estimate	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="text-align: center;"><u>Value</u></th> <th style="text-align: center;"><u>Damage</u></th> </tr> </thead> <tbody> <tr> <td>Building:</td> <td style="text-align: right;">\$100,000.00</td> <td style="text-align: right;">\$100,000.00</td> </tr> <tr> <td>Content:</td> <td style="text-align: right;">\$20,000.00</td> <td style="text-align: right;">\$20,000.00</td> </tr> <tr> <td>TOTAL</td> <td style="text-align: right; border-top: 1px solid black;">\$120,000.00</td> <td style="text-align: right; border-top: 1px solid black;">\$120,000.00</td> </tr> </tbody> </table>		<u>Value</u>	<u>Damage</u>	Building:	\$100,000.00	\$100,000.00	Content:	\$20,000.00	\$20,000.00	TOTAL	\$120,000.00	\$120,000.00		
	<u>Value</u>	<u>Damage</u>													
Building:	\$100,000.00	\$100,000.00													
Content:	\$20,000.00	\$20,000.00													
TOTAL	\$120,000.00	\$120,000.00													
Narrative	<p>This is an incendiary fire that resulted from a t-shirt that was ignited by an unknown person(s). Upon arrival, firefighters reported fire coming out of the front door and windows. The fire originated in the living room area and spread to the unit above causing major damage to both structures. Truck 40 was the first arriving company.</p>														