

City of Dallas News Release

Public Information Office

www.dallascityhall.com



City of Dallas

FOR IMMEDIATE RELEASE

Tuesday, July 31, 2007

City to Spray Two Areas, in Southwest Oak Cliff and South Dallas for West Nile Virus

Spraying scheduled for Thursday night/Friday morning, August 2/3

Dallas – Responding to a human case of West Nile disease and a positive mosquito collection, City of Dallas staff will spray to reduce the number of mosquitoes in an area of southwest Oak Cliff and the Fair Park area of south Dallas. Weather conditions permitting, spraying is scheduled for Thursday night into Friday morning, August 2/3, 2007. Spraying will begin after 10:00 p.m. and will conclude prior to 3:00 a.m.

Control Area 1: The area to be sprayed is within an area bounded by Kiest Boulevard, Westmoreland Road, Ledbetter Drive (Loop 12), and Hampton Road.

Control Area 2: The area to be sprayed is within an area bounded by Fitzhugh Avenue, 2nd Avenue, Hancock Street, Scyene Road, Hatcher Street, and the purposed DART Rail Line.

While the insecticide is considered safe, residents in the above areas should avoid contact with the spray by staying indoors. Persons inside a vehicle while trucks are actively spraying should remain in their vehicles with the windows up and the air conditioner on until the trucks pass and the spray is no longer visible. Persons out when spraying is to take place should be alert for trucks and should not follow them. If contacted by the spray, wash the affected area thoroughly with soap and water. The spray breaks down quickly in the presence of sunlight and has no residual effect. Fish ponds should be protected and pets may be brought inside during the spraying period.

Protection against mosquito bites

Dallas residents are urged to take precautions against mosquito bites by reducing outdoor activity during evening and nighttime hours. Residents who are outside during these times should cover their arms and legs and use a mosquito repellent.



Prevent mosquito breeding


Residents should eliminate standing water to prevent mosquito breeding and the spread of West Nile Virus. Breeding places for mosquitoes include swimming pools that are not kept clean, stagnant ponds, pet watering dishes, birdbaths, potted plants, old tires, empty containers, toys and clogged rain gutters. Standing water should be eliminated promptly, as mosquitoes can grow from egg to adult in as little as seven days.



City's mosquito spray program


The pesticide and spray methods are adapted for the purpose of reducing the adult mosquito population. Only those areas where infected mosquitoes have been found are scheduled for spraying. The active ingredients in the pesticides used are permethrin and piperonyl butoxide. A 300-foot swath is the effective range and only insects present and which come into contact with the pesticide may be killed. Insects which are not active at night like bees and dragon flies should not be affected.

To report standing water or mosquito problems Dallas residents should call 3-1-1. For additional information on Mosquito Control, visit the City's website at www.dallascityhall.com.



<p align="center">Adult Mosquito Spray Areas Thursday August 2, 2007 and Friday 3, 2007 Between 10:00 P.M. and 3:00 A.M.</p>	<p align="center">Legend</p> <ul style="list-style-type: none"> Area to be Sprayed Dallas Streets 	 <p align="center">City of Dallas Department of Environmental and Health Services Environmental Assessment Program</p>
---	--	---



<p align="center">Adult Mosquito Spray Areas Thursday August 2, 2007 and Friday 3, 2007 Between 10:00 P.M. and 3:00 A.M.</p>	<p align="center">Legend</p> <ul style="list-style-type: none"> Area to be Sprayed Dallas Streets Railroads 	 <p align="center">City of Dallas Department of Environmental and Health Services Environmental Assessment Program</p>
---	--	---